



[Features]

- Vari-Focal
- Wide Angle
- 3 Mega for Megapixel Camera
- Day & Night
- DC Auto Iris
- CS Mount
- Metal Mount
- ND Filter
- Long Cable
- Aspherical Lens
- F1.3 Wide Aperture Rate

[Application & Benefits]

Fujinon's 1/3 , 1/2 , or 2/3 or 1.3 mega, 3 mega, or 5 mega-pixels lenses feature our Mega Pixel Difference which optimizes image resolution on all camera formats.

The D-YV2.1X2.8SR4A-SA2 High image-quality monitoring with optical performance supporting 3 megapixels. with Advanced design engineering and special optic glass adopted, best suited for color, Black and White and Day and Night cameras. The D-YV2.1X2.8SR4A-SA2 is 2.8mm wide, achieving a horizontal field angle of 100 degrees (when used on 1/3 cameras). Designed to maximize optical performance with high-accuracy aspheric lens, low-dispersion glass, and high refractive-index glass. The Built-in ND filter of T360, for supporting high sensitivity cameras.



©2009 i3International. The i3 logo is property of i3International Inc. All rights reserved. Specifications, configurations, components and options listed are subject to change without notice. This data sheet may not be reproduced without permission.

Megapixel VF 2.8 ~ 6mm Lens Specifications

Specifications	
Zoom	Manual
Focus	Manual
Iris	Auto(DC Type)(*1)
Focal Length (mm)	2.8 ~ 6(2.1×)
Iris Range	F1.3 ~ T360(Equivalent to F360)
Back Focal Distance (in air) (mm)	9.03
Exit Pupil Position (From Image Plane) (mm)	-222
Focusing Range (From Front Of The Lens) (m)	8 ~ 0.3
Mount	CS
Mass (kg)	55
Remarks	·With Metal Mount (*1)When power is turned off, iris will automatically close. ·YV2.1×2.8SR4A-SA2L: Long Cable Type(230mm)
Coil Resistance	Drive Coil 190 Damping Coil 500
Current Consumption	23mA(Max.) at DC 4V
1/3"	
Angle of View	Wide: 101°11' × 74°10' Tele: 46°58' × 35°09'
Object Dimensions at M.O.D.	Wide: 758 × 470 Tele: 270 × 197
1/4"	
Angle of View	Wide: 74°10' × 54°58' Tele: 35°09' × 26°19'
Object Dimensions at M.O.D.	Wide: 470 × 323 Tele: 197 × 145